This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






FIG. 1




Fesik, Ellman, others



High affinity bivalent ligand

monovalent ligands


Two low affinity




Bivalent association linked by the surface

FIG. 3


FIG. 4



High affinity binding of a particular post-translationally modified protein through a two-point contact.




The same protein lacking the modification would be bound weakly via a one-point contact.




Other proteins containing the same modification would be bound weakly via a one-point contact


G80BP-B: NEDWERDDQNPWDKLWMNRA G80BP-A: YDQDMQNNTFDDLFWKEGHR







A. [His6Gal80] (nM): 8 4 2 1.5 1 0.75 0.4 0.3 0.2 His6Gal80 (ng): 200 100 50 37.5 25 17.5 10 7.5 5



B.



FIG. 8

FIG. 9


TxRed Protein:


MBP-mdm2 fusion


MECA ||||||

Peptides: VFFKDKKF LLLL

MPRMDYWEDL 11111












FIG. 11



13 Methoxyethylamine (Nmea)

FIG. 12


Npip-Npip-Nbsa-Nser-Nlys-Npip-Nbsa-Nlys
Nbsa-Npip-Nlys-Nser-Nbsa-Nser-Nbsa-Npip
Nbsa-Npip-Nser-Nbsa-Nser-Nall-Nlys
Nbsa-Nbsa-Nall-Nser-Nall-Npip-Nall-Npip
Nall-Nall-Nbsa-Nser-Nlys-Nbsa-Nser-Nall
Nlys-Nlys-Nser-Npip-Nall-Nbsa-Nser
Nlys-Nlys-Nser-Nser-Npip-Nbsa-Nall-Nbsa
Nall-Nlys-Nser-Nser-Nbsa-Nser-Nlys-Nlys
Npip-Nlys-Nall-Nser-Nbsa-Nser-Nlys-Nlys
Nbip-Nlys-Nall-Nser-Nbsa-Nser-Nbsa-Nall-Nlys-Nall-Nbsa-Nbsa-Nser-Nbsa-Nall-Nlys-Nall-Nbsa-Nbsa-Nser-Nbsa-Nall-Nlys-Nall-Nlys-Nbsa-Nser-Nbsa-Nall-Nlys-Nall-Nlys-Nbsa-Nser-Nbsa-Nser-Nall-Nlys-Nall-N



Intensity

FIG. 14








FIG. 16







FIG. 17








10

0.8 0.2 0

masseration.


4.




€

90.00

<u>ပ</u>




<u>B</u>



€

<u>(</u>)



DIC: ('Pr)N=C=N('Pr) R: any alkyl group

FIG. 21

FIG. 22




FIG. 23A-23C




FIG. 24A-24F




FIG 25




FIG. 26A-26C